RESUSCITATION (CPR)

DANGER


Check for hazards & ensure safety

RESPONSE

Check to see if Unresponsive/Unconscious

SEND FOR HELP Call the ambulance on 000

Adults & Children



Infants Under 12 months









Open airway, Head tilt/Chin Lift



Check breathing, if not breathing / abnormal breathing commence CPR



30 compressions: 2 breaths (if unwilling or unable to do breaths, consider doing chest compressions



DEFIBRILLATOR (AED)

Attach AED as soon as available and follow its prompts

Continue sequence until responsiveness or normal breathing returns, or help arrives

	HEAD TILT	PRESSURE	DEPTH	BREATHS	RATIO	COMPRESSION RATE
ADULTS & CHILDREN	Yes	2 Hands	¹ / ₃ chest depth (Approx 5 cm)	Full breaths	30 Compressions:2 Breaths	Compressions should be performed at the rate of almost 2 per second (i.e. continuous rate of 100 per minute)
INFANT (birth – 1)	No	2 Fingers	¹ / ₃ chest depth (Approx 4 cm)	Puffs	30 Compressions:2 Breaths	

CLARENCE VALLEY FIRST AID www.clarencevalleyfirstaid.com.au Ph 02 6642 6045 Mob 0417 292 035

